



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/711,365

09/14/2004

Anthony G. Domenicucci

18034

5364

45600

7590

03/30/2006

SCULLY, SCOTT, MURPHY & PRESSNER, P.C.
400 GARDEN CITY PLAZA
Suite 300
GARDEN CITY, NY 11530

EXAMINER

LE, DUNG ANH

ART UNIT

PAPER NUMBER

2818

DATE MAILED: 03/30/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/711,365

Applicant(s)

DOMENICUCCI ET AL.

Examiner

DUNG A. LE

Art Unit

2818

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on 13 September 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-25 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 14 September 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
- Paper No(s)/Mail Date _____.

- 4) ☐ Interview Summary (PTO-413)
- Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Oath/Declaration

The oath/declaration filed on 9/14/2004 is acceptable.

Election/Restriction

Application's election **without traverse** of Group II (Claims 1-25) drawn to process of making a semiconductor device is acknowledged for prosecution in the subject application. Applicants have the right to file a divisional, continuation or continuation-in-part application covering the subject matter of the non-elected claims.

Applicants are reminded to cancelled non-elective claims.

Information Disclosure Statement

This office acknowledges of the following items from the Applicant:

Information Disclosure Statement (IDS) filed on 9/14/2004 has/have been considered and made of record. The references cited on the PTOL 1449 form have been considered.

Specification

The specification is objected to for the following reason:

The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed (see MPEP § 606.01).

Note that, the claims are directed to a method of making a semiconductor device instead of to a semiconductor device.

The specification has been checked to the extent necessary to determine the presence of all possible minor errors. However, the applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Claim Rejections

Set of claims 1-14

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-7, 9-10 and 12-14 are rejected under 35 USC 102 (b) as being anticipated by Cabral, JR. et al. (6,413,859 B1).

Cabral, JR. et al. teach a method of forming a metal silicide 12 on a surface of a Si-containing material 10 (figs. 1A-1G and related texts) comprising the steps of:

providing a structure comprising a metal-containing silicon alloy layer 12 (col 4, line, 11 and 18) over a Si-containing material;

subjecting said structure to a first anneal (figs. 1b - 1d and col 4, line 60, col 5, line 5) which comprises a first thermal cycle which is performed at a first temperature (fig. 1c and col 4, line 60) that enhances uni-directional diffusion of said metal into said Si-containing material thereby forming an amorphous metal-containing silicide 16 and a second thermal cycle which is performed at a second temperature (col 4, line 5) that converts the amorphous metal-containing silicide into a crystallized metal rich silicide 18 that is substantially non-etchable (col 5, lines 9,21,35,50) as compared to the metal-containing silicon alloy layer; removing any unreacted metal-containing silicon alloy layer from the structure; and

subjecting said structure to a second anneal at a third temperature (col 5, lines 45-67) that converts said crystallized metal rich silicide into a metal silicide phase that is in its lowest resistance phase.

Regarding claim 2, wherein said metal-containing silicon alloy layer 12 is formed by deposition of the alloy layer or by first depositing a refractory metal to form a metal layer and then doping the refractory metal layer with silicon (col 3, lines 60- 67).

Regarding claim 3, further comprising forming an optional barrier layer 14 over said metal-containing silicon alloy layer prior to said first anneal, wherein said optional barrier layer is removed in said removing of the unreacted metal-containing silicon alloy layer 12 (figs. 1d-1e).

Regarding claim 4, wherein said metal-containing silicon alloy layer 12 further comprises at least one additive selected from the group consisting of C, Al, Ge, Sc, Ti, V,

Cr, Mn, Fe, Cu, Y, Zr, Nb, Mo, Ru, Rh, Pd, In, Sn, La, Hf, Ta, W, Re, Ir, Pt, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu and mixtures thereof (col 4, lines 10 and 20).

Regarding claim 5, wherein said metal-containing silicon alloy layer comprises less than about 30 atomic % Si (col 4, lines 10 and 20).

Regarding claim 6, wherein said metal-containing silicon alloy comprises Ni, Co or alloys thereof (col 4, lines 10 and 20).

Regarding claim 7, wherein said first temperature (col 4, line 64) is less than said second temperature (col 5, line 15).

Regarding claim 9, wherein said first thermal cycle is performed for a time period from about 30 seconds to about 120 seconds (col 4, lines 64).

Regarding claim 10, wherein said second temperature is less than about 450°C, yet greater than the first temperature (col 5, line 15).

Regarding claim 12, wherein said second thermal cycle is performed for a time period from about 10 seconds to about 30 seconds. (col 5, line 16).

Regarding claim 13, wherein said removing comprises a wet etch process in which a chemical etchant is employed (col 5, line 30-35).

Regarding claim 14, wherein said third temperature is from about 700° to about 900°C (col 5, line 62) and said second anneal is carried out for a time period from about 300 seconds or less (col 5, line 16).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 8 and 11 are rejected under 35 U.S.C. 103 (a) as being unpatentable over Cabral, JR. et al. in view of the following remark.

Regarding claim 8, Cabral, JR. et al. teaches the claimed invention as applied to claim 1 including first temperature is about 350°C- 450°C (col 4, line 64), but fails to teaches first temperature is less than about 350°C as cited in current claim.

However, given the cumulative teaching of Cabral, JR. et al. It would have been obvious to one of ordinary skill in the art of making semiconductor devices to determine the workable or optimal ranges for first temperature is less than about 350°C through routine experimentation and optimization to obtain optimal device performance.

Regarding claim 11, Cabral, JR. et al. teaches the claimed invention as applied to claim 1 including second temperature is from about 400°to about 700°C (col 5, line 15), but fails to teaches second temperature is from about 350°to about 400°C as cited in current claim.

However, given the cumulative teaching of Cabral, JR. et al. It would have been obvious to one of ordinary skill in the art of making semiconductor devices to determine the workable or optimal ranges for second temperature is from about 350° to about 400°C through routine experimentation and optimization to obtain optimal device performance.

Set of claims 15- 25

Claims 15-19, 22 and 23-25 are rejected under 35 USC 102 (b) as being anticipated by Cabral, JR. et al.

Cabral, JR. et al. teaches a method of forming a cobalt disilicide 12 on a surface of a Si-containing material 10 comprising the steps of:

providing a structure comprising a cobalt (Co) silicon alloy layer 12 over a Si-containing material;

subjecting said structure to a first anneal (col 4, lines 60 and col 5, line 5) which comprises a first thermal cycle (col 4, line 60) which is performed at a first temperature that enhances uni-directional diffusion of Co into said Si-containing material thereby forming an amorphous Co silicide 16 and a second thermal cycle which is performed at a second temperature that converts the amorphous Co silicide into a crystallized Co rich silicide 18 that is substantially non-etchable (col 5, lines 9,21,35,50) as compared to the Co silicon alloy layer

removing any non-reacted Co silicon alloy layer from the structure; and

subjecting said structure to a second anneal at a third temperature (col 5, lines 45-67) that converts said crystallized Co rich silicide into Co disilicide.

Regarding claims 16-19, these claims are rejected under the same rationale set forth above to claims 2- 5.

Regarding claim 22, this claim is rejected under the same rationale set forth above to claim 10.

Regarding claim 24, this claim is rejected under the same rationale set forth above to claim 13

Regarding claim 25, this claim is rejected under the same rationale set forth above to claim 14.

Claims 20- 21 and 23 are rejected under 35 U.S.C. 103 (a) as being unpatentable over Cabral, JR. et al. in view of the following remark.

Cabral, JR. et al. teaches the claimed invention as applied to claim 15 including first temperature is about 350°C- 450°C (col 4, line 64), but fails to teaches first temperature is less than about 350°C and from 270°C -352°C as cited in current claims.

However, given the cumulative teaching of Cabral, JR. et al. It would have been obvious to one of ordinary skill in the art of making semiconductor devices to determine the workable or optimal ranges for first temperature is less than about 350°C and from

270°C -352°C through routine experimentation and optimization to obtain optimal device performance.

Regarding claim 23, Cabral, JR. et al. teaches the claimed invention as applied to claim 15 including second temperature is from about 400°to about 700°C (col 5, line 15), but fails to teaches second temperature is from about 350°to about 400°C as cited in current claim.

However, given the cumulative teaching of Cabral, JR. et al. It would have been obvious to one of ordinary skill in the art of making semiconductor devices to determine the workable or optimal ranges for second temperature is from about 350°to about 400°C through routine experimentation and optimization to obtain optimal device performance.

When responding to the office action, Applicants' are advice to provide the examiner with the line numbers and page numbers in the application and/or references cited to assist the examiner to locate the appropriate paragraphs.


A shortened statutory period for response to this action is set to expire 3 (three) months and 0 (zero) day from the day of this letter. Failure to respond within the period for response will cause the application to become abandoned (see M.P.E.P 710.02(b)).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dung A. Le whose telephone number is (571) 272-1784. The examiner can normally be reached on Monday-Tuesday and Thursday 6:00am- 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on (571) 272-1787. The central fax phone numbers for the organization where this application or proceeding is assigned are (571)272-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DUNG A. LE 
Primary Examiner
Art Unit 2818